

HOSPICE MEDICATION UTILIZATION GUIDELINES



Contact Information

Pharmacy Help Desk

1267 Professional Parkway Gainesville, GA 30507 866-457-6337

Business Hours: 24/7/365

ProCare PharmacyCare

Miramar, Florida Las Vegas, Nevada 800-662-0586

Business Hours: Monday – Friday: 8:00am-8:00pm ET Saturday: 9:00am-1:00pm ET

ProCare HospiceCare - Website

www. Pro Care Pharmacy Care. com

Website tools:

- Adverse Drug Reaction Reporting Form
- Current Drug Updates
- Health Library
- Lexi-Comp Connection
- Lunch-n-Learn Schedule and Audio Library
- On-Demand Clinical Newsletters

Acknowledgements

Editors-in-Chief:

Shaili Shah, PharmD Meri Madison, PharmD

Editor:

Kristin Speer, PharmD, BCPS, cMTM

Contributors:

Kim Wilson, BCPS, PharmD
Steven Stoyanov, PharmD
Michaela Christian-Simpson, B.S., PharmD
Priya Narula, PharmD, CGP
Regina Bresson, PharmD
Ashley Provenzano, PharmD, CGP
Ashley Armentrout, PharmD, BCPS

Karen Bruestle-Wallace, PharmD, CGP, CPh

Nathaniel Hedrick, PharmD

Joelle Potts, PharmD, CGP

Shaun Gutstein, PharmD

David S Craig, PharmD

Yvonne A. Stark, BS Pharm

Brett Gillis, PharmD

Jennifer Connelly, Pharm.D., BCACP, CGP

Sheri Irvine, PharmD

Kiran Hamid, PharmD

Tracey Gordon, PharmD, CPh

Hilary Paige Erdeljac, PharmD, BCACP

Acknowledgements:

Maria Castano, PharmD
Victoria Ferraresi, PharmD, FASHP, FCSHP
Raeanna Lewarne, RPh, PharmD, BCPS
Mary Mihalyo, PharmD, CGP
Megan Saenz, PharmD, CPE
Lorin Yolch, PharmD, CGP



Excellence in Pharmacy and Clinical Services . . . One Patient at a Time

ProCare HospiceCare Vision Statement

ProCare HospiceCare will drive positive change in end-of-life care as the premier Hospice Pharmacy Benefit Manager and Hospice Clinical Pharmacy Consulting Service.



ProCare HospiceCare Mission Statement

ProCare HospiceCare will provide simply the best hospice patient focused medication-therapy-management and pharmacy benefit management services.

Disclaimer

The material in ProCare HospiceCare's Hospice Medication Utilization Guide is for informational and educational purposes only. It is not a substitute for medical advice, diagnosis, or treatment provided by a qualified health care provider. The editors and contributors of this Guide have made extensive efforts to ensure that the treatments, algorithms, drugs, and dosage regimens are accurate and conform to the standards accepted at the time of publication. Ongoing changes in information are made as a result of continuing research and clinical experience, differences of opinion among authorities, and the unique aspects of individual clinical situations. These ongoing changes require the reader to exercise judgment when making a clinical decision and, if necessary, consult and compare information from other sources. Accordingly, ProCare HospiceCare shall not be responsible for the choice of treatment or clinical decisions resulting from use of this Guide.

This Guide is intended for readers throughout the United States; however, you must comply with the laws, regulations, and statutes of the state in which the hospice is located and the federal laws regulating the practice of medicine and the prescription and use of drugs. The reader is also advised to check the product information provided by the manufacturer of a drug product before prescribing or administering it.

All information contained in this handbook is protected by copyright. All rights are reserved.

Table of Contents

Section One: General Information	
Do Not Use List	
Use of Anticholinergics in the Treatment of Terminal Illness	
Opioids for Shortness of Breath	
Erythropoiesis-Stimulating Agents (ESA)	
Benzodiazepine Medication Comparison	
Drugs and Taste Disturbances	
Oral Dosage Forms that Should Not be Crushed	
Medication Administration with Continuous Enteral Nutrition	
Recommendations for Administering Medications with Continuous	
Enteral Nutrition	
Undesirable Effects of Antipsychotics	
Karnofsky Scale	
Palliative Performance Score v2	
ECOG Scale	
Functional Assessment Staging (FAST) Score	
Pain Assessment in Advanced Dementia (PAINAD) Scale	
WHO 3-Step Ladder	
Medications that May Cause Confusion and/or Agitation in the Elderly	
Opioid Conversion Table for Hospice Population	
Child-Pugh Grading Scale	
Renal Dosing Chart	
Proper Disposal of Prescription Drugs	
Wound Care Kit	
VVOUTIG Cate Nit	
Section Type Business During List	
Section Two: Preferred Drug List	
DISEASE STATES:	
Alzheimer's	
Cancer	
Cardiac	
Pulmonary Disease	
Hepatic Disease	
Parkinson's Disease	
Renal Disease	
FORMULARY:	
SYMPTOM MANAGEMENT	
Anorexia	
Anxiety/Agitation	
Bladder Spasm	
Congestion	
Constipation	
Cough-Dry; Non-Productive	
Cough-Wet; Productive	
Depression	
Diarrhea/Gas	
Dvenhagia	

Table of Contents

Section Two: Preferred Drug List (cor	ntinued)			
Dyspnea/Shortness of Breath		. 66		
Edema				
Extrapyrmidal Symptoms		. 71		
Fever				
Gastrointestinal Irritation/Colic				
Gout		. 74		
Hiccups		. 74		
Hyperglycemia		. 75		
Insomnia		. 75		
Mucositis/Dry Mouth		. 76		
Muscle Spasms		. 77		
Nausea/Vomiting		. 78		
Pain - Nociceptive				
Pain - Nociceptive (Mild)		. 81		
Pain - Nociceptive (Moderate)		. 83		
Pain - Nociceptive (Severe)		. 83		
Pain - Neuropathic (shooting, stabbing, bu	ırning, tingling)	. 85		
Pruritis		. 87		
Seizure - Active		. 88		
Seizure - Maintenance		. 88		
Terminal Secretions		. 90		
INFECTIONS / ANTIBIOTICS				
Antibiotics IV / IM		. 91		
Antifungals				
Antivirals		. 96		
Topical Agents				
Topical Agents - Anesthetics		. 97		
Topical Agents - Ophthalmic				
Topical Agents - Wound Care		. 99		
Topical Agents - Misc		. 100		
Section Three: Treatment Algorithms				
Anorexia/CachexiaII4	Edema	161		
AnxietyI18	Fever	164		
Bone Pain122	Hiccups	166		
Complete Bowel Obstruction 128	Insomnia	170		
Cough/CongestionI32	Nausea/Vomiting	174		
Constipation 137	Neuropathic Pain			
Delirium141	Nociceptive Pain			
Depression146	Pruritus	191		
Diarrhea150	Secretions	194		

Seizures197

Thrush200

Dyspepsia153

Dyspnea (SOB)156

Table of Contents

Section Four: Methadone Information						
Methadone Equianalgesic Dosing Chart						
Section Five: Patient Information Leaflets (PILs)						
Alprazolam209	Mirtazapine221					
Atropine210	Morphine222					
Dexamethasone211	Naproxen223					
Diazepam212	Ondansetron224					
Fentanyl213	Oxycodone225					
Glycopyrrolate214	Prednisone226					
Haloperidol215	Prochlorperazine227					
Hydromorphone216	Promethazine228					
Hyoscyamine217	Temazepam229					
lbuprofen218	Zolpidem230					
Lorazepam219						

(For a complete list of PILs go to www.ProCareHospiceCare.com)

Methadone220